


COMMERCIAL CATALOG 2024

THE BLENDTEC DIFFERENCE





Durable, NSF Certified Jar

Lightweight, stackable jars feature an innovative design that increases blending efficiency and reduces overall blending time.



Blunt Safety Blade

Built to last, our blunt blade technology is stronger than traditional blades and without any sharp edges.



Hardened Metal Drive Socket

Unlike other brands with plastic drive sockets that break easily, our steel drive sockets are virtually indestructible.



High-Speed Commercial Motor

A durable, high-speed motor, designed for hundreds of blends a day brings power to high-volume commercial kitchens.



Easy-Clean Interface

User-friendly interface offers one-touch blending for easy clean-up and consistent results.

BLENDERS





STEALTH NITROX

CQB2 STEALTH NITRO X







STEALTH® NITRO X



MOTOR 1800 Watt, 120V / 240V available

INTERFACEIlluminated OLED display with tactile keypad

WEIGHT 15.8 lbs (7.2 kg)

SOUND ENCLOSURE

PROGRAM CYCLES

Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps blender operate at the sound level of normal conversation.

USAGE Recommended daily

blends: 200

42 Preprogrammed blend cycles, including 2 for the NBS attachment. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online

tool.

H: 17.3" (43.9 cm) **DIMENSIONS**D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and CSA safety standards as well as

NSF sanitation standards.

ALL NEW TITAN X MOTOR

Introducing the new Titan X motor from Blendtec® - built to be quieter, run cooler, and with a longer life than any motor before it. Internal motor brushes have been replaced with electronics to increase the lifetime of the motor, give more output and torque to make drinks quicker, and use less power. The Dynamic Braking system stops the blender jar blade instantly, allowing you to remove the blender jar quickly. Take advantage of less downtime by cutting out the need to replace machines and make more drinks without overheating. The blender is equipped with a separate fan to keep the motor cool.

NBS RINGS

Every unit comes with four standard rings that fit 12 oz., 16 oz., 24 oz., and 32 oz. SOLO' cups. Engineered to create a vacuum seal, each ring fits perfectly with its designated cup. Don't use SOLO cups for your business? No problem. The Blendtec® team is standing by, ready to make custom rings that fit almost any plastic or metal cup from 12-32oz.



"SOLO" is a trademark of the "SOLO Cup Operating Corporation"



CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth® Nitro X includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.



JARLESS BLENDING, THE FOREFRONT OF INNOVATION

Why waste ingredients when you can have amazingly proportioned drinks and smoothies blended right in the cup you give your customer? The Nitro Blending System® minimizes waste, saves time, and increases your profit margin. Each Stealth® Nitro X

comes with two micronizers and two cup stands – two wingtip blade micronizers for pulverizing ingredients into silky-smooth single-serve drinks, or two frothing blade micrconizers – perfect for whipping, frothing or emulsifying milks and creams for coffee and other beverages.

FROTHING MICRONIZER







CQB2 STEALTH 895 NBS







STEALTH NIRO



MOTOR 1800 Watt, 120V / 240V available

INTERFACE Illuminated OLED display with tactile keypad

WEIGHT 15.8 lbs (7.2 kg)

Fully enclosed, easy-to-clean

PROGRAM CYCLES

SOUND ENCLOSURE blending station. Advanced sound enclosure helps blender operate at the sound level of normal conver-

sation.

USAGE Recommended daily

blends: 200

42 Preprogrammed blend cycles, including 2 for the NBS attachment. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online

tool.

H: 17.3" (43.9 cm) **DIMENSIONS**D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and CSA safety standards as well as

NSF sanitation standards.

STEALTH® TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth® Nitro includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

MONEY

NBS RINGS

Every unit comes with four standard rings that fit 12 oz., 16 oz., 24 oz., and 32 oz. SOLO* cups. Engineered to create a vacuum seal, each ring fits perfectly with its designated cup. Don't use SOLO cups for your business? No problem. The Blendtec® team is standing by, ready to make custom rings that fit almost any plastic or metal cup from 12-32oz.



@blendtec 1

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom delivers simple operation and is designed to reduce overall cost.

BUILT TO SAVE TIME AND

JARLESS BLENDING, THE FOREFRONT OF INNOVATION



Why waste ingredients when you can have amazingly proportioned drinks and smoothies blended right in the cup you give your customer? The Nitro Blending System® minimizes waste, saves time, and increases your profit margin. Each Stealth® Nitro comes with two micronizers and two cup stands - two wingtip blade micronizers for pulverizing ingredients into silky-smooth single-serve drinks, or two frothing blade micrconizers perfect for whipping, frothing or emulsifying milks and creams for coffee and other beverages.











STEALTH ×

CQB3 STEALTH X







MOTOR 1800 Watt. 120V / 240V available

Illuminated OLED display with **INTERFACE**

tactile keypad

WEIGHT 18.1 lbs (8.21 kg)

Fully enclosed, easy-to-clean blending station. Advanced sound **SOUND ENCLOSURE** enclosure helps blender operate at the sound level of normal

conversation.

Recommended daily **USAGE**

blends: 200

42 Preprogrammed blend cycles. Create custom or update included **PROGRAM CYCLES** blend cycles via Blendtec's Blend

Wizard™ online tool.

H: 17.3" (43.9 cm) **DIMENSIONS** D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and **CERTIFICATIONS**

CSA safety standards as well as

NSF sanitation standards.

ALL NEW TITAN X MOTOR

Introducing the new Titan X motor from Blendtec® - built to be guieter, run cooler, and with a longer life than any motor before it. Internal motor brushes have been replaced with electronics to increase the lifetime of the motor, give more output and torque to make drinks quicker, and use less power. The Titan X is also equipped with dynamic braking, allowing the operator to remove the jar without waiting for the blade to stop spinning. Take advantage of less downtime by cutting out the need to replace machines and make more drinks without overheating - the blender even cools itself without running!

STEALTH TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth® X includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

CUSTOMIZABLE CYCLES PROVIDE CONSISTENT RESULTS

In addition to 42 preprogrammed cycles, users can create custom blends with the online Blend Wizard™, then store up to 14 on the blender for one-touch operation.



NSF APPROVED WILDSIDE®+ JAR 14 SECONDS TO AN AMAZING BLENDED DRINK











CQB1 STEALTH 885





SOUND ENCLOSURE

PROGRAM CYCLES



MOTOR 1800 Watt, 120V / 240V available

INTERFACE Illuminated OLED display with

tactile keypad

WEIGHT 18.1 lbs (8.21 kg)

Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps blender operate

at the sound level of normal

conversation.

USAGE Recommended daily blends: 200

42 Preprogrammed blend cycles. Create custom or update included blend cycles via Blendtec's Blend

Wizard[™] online tool.

H: 17.3" (43.9 cm)

DIMENSIONS D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and CERTIFICATIONS CSA safety standards as well as

NSF sanitation standards.

BUILT TO SAVE TIME AND MONEY

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

STEALTH TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth® includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

CUSTOMIZABLE CYCLES PROVIDE CONSISTENT RESULTS

In addition to 42 preprogrammed cycles, users can create custom blends with the online Blend WizardTM, then store up to 14 on the blender for one-touch operation.



NSF APPROVED WILDSIDE®+ JAR

14 SECONDS

TO AN AMAZING BLENDED DRINK





EASTMAN TRITAN™
MAKES THESE JARS LAST







CONNOISSEUR® 825

ICB5 CONNOISSEUR 825





CONNOISSEUR 825



MOTOR 1800 Watt, 120V / 240V available

INTERFACE LCD display, push-button controls

WEIGHT 18.4 lbs (8.34 kg)

Fully enclosed, easy-to-clean

SOUND ENCLOSURE

blending station. Advanced sound enclosure helps reduce noise for

quieter blending.

USAGE Recommended daily blends: 150

PROGRAM CYCLES

42 Preprogrammed blend cycles.

Create custom or update included blend cycles via Blendtec's Blend

Wizard[™] online tool.

H: 18.7" (47.5 cm) **DIMENSIONS** D: 9.0" (22.9 cm)

W: 9.0" (22.9 cm)

Conforms to applicable UL and CERTIFICATIONS CSA safety standards as well as

NSF sanitation standards.

OPTIONS In-counter version available



OPTIONS CUSTOM FOR YOUR BUSINESS

BUILT TO SAVE TIME AND MONEY

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

CUSTOMIZABLE PREPROGRAMMED CYCLES FOR CONSISTENT RESULTS

42 preprogrammed cycles blend your most popular recipes with amazing consistency, and our downloadable tool allows you to create an unlimited number of customized recipes.

SOUND ENCLOSURE REDUCES BLENDING NOISE

For shops where noise is a consideration, the sound enclosure minimizes blender noise, helping create a more conversation-friendly atmosphere.



NSF APPROVED WILDSIDE®+ JAR

14 SECONDS

TO AN AMAZING BLENDED DRINK











CONNOISSEUR™825 SS

ICB5 CONNOISSEUR 825 SPACESAVER





CONNOISSEUR 825 SPACESAVER



MOTOR 1800 Watt, 120V / 240V available

INTERFACE LCD display, push-button controls

WEIGHT 13.1 lbs (5.94 kg)

PROGRAM CYCLES

42 Preprogrammed blend cycles.

Create custom or update included blend cycles via Blendtec's Blend

Wizard[™] online tool.

USAGE Recommended daily blends: 150

H: 16.25" (41.275 cm) **DIMENSIONS**D: 8.25" (20.96 cm)

W: 6.25" (15.88 cm)

Conforms to applicable UL and CERTIFICATIONS CSA safety standards as well as

NSF sanitation standards.

OPTIONS In-counter version available



OPTIONS CUSTOM FOR YOUR BUSINESS

BUILT TO SAVE TIME AND MONEY

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

CUSTOMIZABLE PREPROGRAMMED CYCLES FOR CONSISTENT RESULTS

42 preprogrammed cycles blend your most popular recipes with amazing consistency, and our downloadable tool allows you to create an unlimited number of customized recipes.

POWERFUL, ULTRA HIGH-SPEED MOTOR

The Connoisseur[™] 825 Spacesaver[®] boasts one of the largest, most powerful motors in the industry. This commercial-grade motor is built to last and has the power needed to handle the job.



NSF APPROVED WILDSIDE®+ JAR

14 SECONDS

TO AN AMAZING BLENDED DRINK











BAR BLENDER

CB1 BAR BLENDER







MOTOR

4.0 Horsepower input motor* 120V, 1800-Watt, 15 Amps

*Motor peak input power as measured in laboratory testing, not the operational HP at the blade

FUNCTIONS

Start/Stop Pulse

Variable Speed

DIMENSIONS

Base:

7.75" W x 8" D x 7.625" H

Full Kit with Jar:

7.75" W x 8" D x 16" H

WEIGHT

Base: 8.25 lbs Full Kit: 10 lbs

WARRANTY

3 Year Parts / 1 Year Labor

UNPARALLELED PERFORMANCE

Engineered and designed to reduce blending time, it saves on labor costs while delivering a superior mouthfeel in blended drinks. This versatile machine blends cocktails, smoothies and iced coffee drinks with ease and consistency. Making blended drinks at the bar is a breeze.

BEST IN CLASS

Industry leading, powerful 4.0 Horsepower input motor*, combined with the Wildside®+ Jar, and Blendtec's patented blunt blade technology, increases blending power while reducing blend times to provide a smoother blend.

BUILT FOR THE BAR

Controls are simplified to save time and are ergonomically optimized. The start/stop and pulse functions are combined into a single switch. Variable-speed controls provide flexibility for drink customization. Controls are inset and sealed on a twenty degree angled panel to avoid liquid ingress and for control protection.



NSF APPROVED WILDSIDE®+ JAR

14 SECONDS

TO AN AMAZING BLENDED DRINK



STRONGER
THAN TRADITIONAL BLADES



EXTREMELY DURABLE

EASTMAN TRITAN™

MAKES THESE JARS LAST



CONE LIDLATCHES SECURELY AND ALLOWS FOR

LIQUID ADDITION WHILE BLENDING.

JARS







ERGO JAR







ERGO JAR



BALANCED AND ERGONOMIC

Blendtec® continually makes innovating strides to meet the needs of the industry. Designed with your employees in mind, our Ergo Jar™ is no exception. The morning smoothie rush will fly by with ease as the lower handle provides improved balance and operator ease of use.

LOWERED CENTER OF GRAVITY

The placement of the Ergo Jar[™] handle reduces stress and strain on the operator's wrist, while the added thumb rest provides a great grip.

CUSTOMIZE

Custom jar graphics, label your

jars, add your logo.

SAFE AND STRONG

Made from durable Tritan[™]. These jars were built to last.

VERSATILITY

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.



LATCHING LID Preferred for non-sound enclosure models



For sound enclosure models only



CONE LID

For more accuracy when adding liquids mid-blend



NSF APPROVED ERGO™ JAR 14 SECONDS TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY STRONGER THAN TRADITIONAL BLADES



REDESIGNED HANDLE PLACEMENT ERGONOMIC DESIGN REDUCES STRESS AND STRAIN







WILDSIDE*+ JAR

40-545







WILDSIDE* JAR



A FIVE-SIDED REVOLUTION

An exclusive large capacity, square design with a fifth side that produces thicker, faster blending and shorter customer wait times. It's extra-wide base, along with a more aggressive blade nearly 4 inches long, has helped the WildSide®+ jar to raise the bar in the commercial blending category.

CUSTOMIZE

Custom jar graphics, label your jars, add your logo.

SAFE AND STRONG

Made from durable Tritan[™]. These iars were built to last.

VERSATILITY

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.



LATCHING LID
Preferred for non-sound
enclosure models



FLAT (HARD & SOFT)
For sound enclosure
models only



CONE LIDFor more accuracy when adding liquids mid-blend



NSF APPROVED WILDSIDE®+ JAR

14 SECONDS

TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY **STRONGER**THAN TRADITIONAL BLADES



EASTMAN TRITAN™
MAKES THESE JARS LAST







WILDSIDE*+ COLOREDJAR

40-545













SAFER FOR YOUR CUSTOMERS **EASIER FOR YOUR EMPLOYEES**

Keep everyone safe by avoiding cross-contamination of allergens. For example, use the red jar and lid for soy products and the yellow jar and lid for non-dairy. These jars and lids are NSF certified.

CUSTOMIZE

Custom jar graphics, label your jars, add your logo

SAFE AND STRONG

Reduce risk of allergen exposure by using separate color-coded

containers.

VERSATILITY

Lids can also be color-coded and labeled (hard lids only)

FASTER AND EASIER TO USE

Colored jars and lids make it easier for your employees to know which jar to use for specific blends. Prevent cross-contamination and focus on meeting individual customer needs.

USE YOUR OWN BRANDING OR DESIGN

Make any of our clear or colored jars your own with custom logos or markings. Using Blendtec® colored jars and lids adds a splash of color to draw attention to your blend or brand.



REDUCE RISK COLOR-CODED FOR EASY REFERENCE



EXTREMELY DURABLE MAKES THESE JARS LAST





LATCHING LID Preferred for non-sound enclosure models



FLAT (HARD & SOFT) For sound enclosure

models only







FOURSIDE JAR

40-541







FOURSIDE JAR



THE TRUSTED ORIGINAL

The FourSide Jar^{TM} has a square shape and patented single-prong wingtip blade create a better blending vortex to micronize ingredients. This smaller jar is perfect for eateries that sell lower volumes of blended product.

CUSTOMIZE

Custom jar graphics, label your jars, add your logo.

SAFE AND STRONG

Made from durable Tritan[™]. These jars were built to last.

VERSATILITY

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.





Preferred for non-sound enclosure models



For sound enclosure





CONE LID For more accuracy when adding liquids mid-blend



NSF APPROVED FOURSIDE JAR™ 14 SECONDS TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY STRONGER THAN TRADITIONAL BLADES



EXTREMELY DURABLE EASTMAN TRITAN™ MAKES THESE JARS LAST







FOURSIDE COLORED JAR

40-541







FOURSIDE COLOREDIAR







SAFER FOR YOUR CUSTOMERS EASIER FOR YOUR EMPLOYEES

Keep everyone safe by avoiding cross-contamination of allergens. For example, use the red jar and lid for soy products and the yellow jar and lid for non-dairy. These jars and lids are NSF certified.

CUSTOMIZE

Custom jar graphics, label your jars, add your logo

SAFE AND STRONG

Reduce risk of allergen exposure by using separate color-coded containers.

VERSATILITY

Lids can also be color-coded and labeled (hard lids only)

FASTER AND EASIER TO USE

Colored jars and lids make it easier for your employees to know which jar to use for specific blends. Prevent cross-contamination and focus on meeting individual customer needs.

USE YOUR OWN BRANDING OR DESIGN

Make any of our clear or colored jars your own with custom logos or markings. Using Blendtec® colored jars and lids adds a splash of color to draw attention to your blend or brand.



REDUCE RISK

COLOR-CODED
FOR EASY REFERENCE



EASTMAN TRITAN MAKES THESE JARS LAST



STRONGER
THAN TRADITIONAL BLADES



LATCHING LID
Preferred for non-sound
enclosure models



FLAT (HARD & SOFT)
For sound enclosure
models only







TWISTER JAR

40-543





TWISTER JAR™





EVERY LAST MORSEL

The Twister Jar[™] effortlessly blends your thickest recipes in seconds. The unique twister lid uses special scrapers to pull dense, thick ingredients away from the wall of the jar and back into the blade. Simply add ingredients and twist the lid while blending.

SMALLER BLENDS

Meant for smaller and tougher blends, the Twister Jar[™] is ideal for recipes that call for more stubborn ingredients, such as acai breakfast bowls, thick milkshakes, nut butters, hummus - even bread & cookie crumbs.







MINI GRIPPER LID



SPECTACULA

WEIGHT 1.3 lbs (0.59 kg)

Blend nut butters, hummus,

VERSATILITY sorbets, etc. Keeps your menu

offering fresh.

H: 7.5" (22.86 cm) **DIMENSIONS**

D: 5.7" (14.02 cm)

Made from durable Tritan[™]. These SAFE AND **STRONG**

jars were built to last.



 $NSF\ APPROVED\ TWISTER\ JAR^{\text{TM}}$ 14 SECONDS
TO AN AMAZING BLENDED DRINK



BLUNT BLADE TECHNOLOGY THAN TRADITIONAL BLADES









FROTHING JAR

40-541







FROTHING



ROOM TO BREATHE

2 quarts of total volume provides a huge capacity for producing frothed liquids and foam. Instead of repeatedly creating single servings, you can now produce in batches and serve several customers at once.

WAVE OF THE FUTURE

Our stainless steel blade features a "wave" blend which enhances the frothing capability - easily doubling the volume of many liquids. The blade works great for cold foam coffee, non-dairy milks, whipping cream, hot chocolate, syrup and more!

USAGE Quick and effective way to froth

or aerate liquids

BLADE 2.88" diameter 300 series stainless

steel blade with "wave" blend

VOLUME Total Volume = 2 Quarts

Starting liquid volume = 32 ounces



LATCHING LID
Preferred for non-sound
enclosure models



FLAT (HARD & SOFT)
For sound enclosure
models only



CONE LIDFor more accuracy when adding liquids mid-blend



VIEW FROM THE TOPBlendtec's innovative frothing blade







RAPID RINSER

JRE-612







RAPID AND SHA



EASY AND VERSATILE

Use the Rapid Rinse Station to rinse any container with a diameter of 8" or less. Pitchers, blender jars, measuring devices - anything! A gentle push on the platform is all it takes to activate the spray.

DURABLE CONSTRUCTION

The Rapid Rinse[™] Station is made of chemical-resistant plastic. A stainless steel spray nozzle ensures long-lasting operation.

SMART DESIGN

Compact and low-profile, the Rapid RinseTM fits neatly next to your Blendtec blender or dispenser. It features a closed valve system that prevents water leakage when water pressure drops.



EASY Simple to disassemble and clean

CONTROL Easy one-push operation

SAFE & STRONG Stainless steel nozzle for long-last-

ing operation

VERSATILITY Effective for rinsing any container

of 8" diameter or smaller

WEIGHT 8.5 lbs (39 kg)

H: 7.5" (19.1 cm)

DIMENSIONS D: 20.5" (52.1 cm)

W: 8.8" (22.2 cm)

OPTIONS In-sink Option or Rapid

Rinse Station

CERTIFICATIONS NSF, Model JRE



EXPANDABLE COVERAGE

30% MORE COVERAGE

COMPARED TO OTHER RINSERS



1 PUSH OPERATION

SIMPLE AND QUICK TO USE



STACKABLE DRYING RACK

DRY AND STORE
KEEPS YOUR KITCHEN ORGANIZED







RAPID RINSER

IRE-610

IN-SINK OPTION







SAVE TIME AND WATER BY CLEANING JARS QUICKLY

SAPID RINSER



EASY AND VERSATILE

Use the Rapid Rinser[™] to clean any container with a diameter of 8" or less. Pitchers, blender jars, measuring devices - anything! A gentle push on the platform is all it takes to activate the spray.

DURABLE CONSTRUCTION

The Rapid Rinser is made of chemical-resistant plastic. A stainless steel spray nozzle ensures long-lasting operation. A simple magnetic switch avoids electronic failures.

SMART DESIGN

Compact and low-profile, the Rapid Rinser fits neatly next to or in your sink. Suction cup mounting feet make it stable in wet environments. The design also features a closed valve system that prevents water leakage when water pressure drops.

EASY CONNECT

The Rapid Rinser easily connects directly to your faucet.

Clean jars in seconds,

Connects to your faucet,
Simple to disassemble and clean

CONTROL Easy one-push operation

SAFE & STRONGStainless steel nozzle for long-lasting operation

VERSATILITY Effective for rinsing any container of 8" diameter or smaller

WEIGHT 1.1 lbs (0.5 kg)

H: 3.75" (9.55 cm)
D: 5.9" (14.99 cm)
W: 5.9" (14.99 cm)

CERTIFICATIONS NSF. Model JRE



EXPANDABLE COVERAGE

30% MORE COVERAGE COMPARED TO OTHER RINSERS



1 PUSH OPERATION
SIMPLE AND QUICK TO USE

OPTIONS

Available as a counter top version with drying rack



STACKABLE DRYING RACK **DRY AND STORE**KEEPS YOUR KITCHEN ORGANIZED









2024 COMMERCIAL BLENDERS











	STEALTH'NITRO / NITRO X	STEALTH' / X	CONNOISSEUR 825	CONNOISSEUR 825 SPACE SAVER	BAR BLENDER
WATTAGE	1800	1800	1800	1800	1800
BEVERAGE BLENDING					•
FOOD PREP	Ø	Ø	Ø	Ø	
INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	SWITCH FOR START/ STOP & PULSE VARIABLE SPEED DIAL
PROGRAMMABLE	+BLEND WIZARD [™]	+BLEND WIZARD [™]	+BLEND WIZARD™	+BLEND WIZARD [™]	
SOUND ENCLOSURE	+STEALTH TECHNOLOGY	+STEALTH TECHNOLOGY	•		
PROGRAMS + CYCLES	42 + PULSE	42 + PULSE	42 + PULSE	42 + PULSE	VARIABLE SPEED
DIMENSIONS	H: 17.3" (43.9cm) D: 9.0" (22.9cm) W: 8.6" (21.8cm)	H: 17.3" (43.9cm) D: 9.0" (22.9cm) W: 8.6" (21.8cm)	H: 18.7" (43.9cm) D: 9.0" (22.9 cm) W: 9.0" (22.9 cm)	H: 16.25" (41.28 cm) D: 8.25" (20.96 cm) W: 6.25" (15.88 cm)	H: 16" (40.6 cm) D: 8" (20.3 cm) W: 7.75" (19.7 cm)
WEIGHT	15.8 LBS (7.2 kg)	18.1 LBS (8.2 kg)	18.4 LBS (8.3 kg)	13.1 LBS (5.9 kg)	10 LBS (4.5 kg)
WARRANTY	NITRO X - 4 YEARS NITRO - 3 YEARS	STEALTH X - 4 YEARS STEALTH - 3 YEARS	3 YEARS	3 YEARS	3 YEAR
RECOMMENDED BLENDS PER DAY	P	ase consult with a Blen	dtec sales associate to	evaluate bennding need	s.





www.blendtec.com









